

# ***JOLT<sup>®</sup>***

## ***WORKING LIGHT***



## **Catalogue 2023-24**

# **TURN NIGHT INTO DAY**

Buy Jolt products online [www.trailparts.co.nz](http://www.trailparts.co.nz)

**JOLT automotive lighting products are designed to meet the needs of the drivers and machinery operators who use them, and the fitters who install them.**

<b>LED Work Lights</b>	<b>Page 2-8</b>
<b>LED Driving Lights</b>	<b>Page 9</b>
<b>LED Driving Light Bars</b>	<b>Page 10</b>
<b>LED Light Bars</b>	<b>Page 11-12</b>
<b>LED Warning Lights</b>	<b>Page 13-14</b>
<b>LED Flashing Light Bars</b>	<b>Page 15</b>
<b>LED Tail Lights</b>	<b>Page 16</b>

## **Why Jolt?**

When you're working in darkness or restricted visibility, you need lighting that just works – simple as that. The safety of people and plant, and the productivity of your operation, depend on drivers and operators seeing as clearly as they would in daylight.

JOLT automotive lighting delivers optimum visibility when you need it most.

Designed for use in the most testing environments, JOLT lights are relied on by drivers and machinery operators in the transport, forestry, agriculture and engineering industries throughout New Zealand. Hard-working, practical and reliable, the JOLT range of rugged and dependable LED light bars, driving lights and automotive lighting products won't let you down.

JOLT is Working Light. Simple as that.






## LED Work Lights



### 3LED Ultra Compact Worklamp Flood Beam

**SKU: TXL9576** (90° Flood Beam)

Voltage: 9-32V  
 Power: 3x 5W High Intensity LED (15W)  
 Output: 800 Raw lumens  
 Beam: 90°  
 Bracket: Stainless Steel  
 Other: CE / IP69K / RoHS



09 439 5508  
 0800 487 245  
 sales@joltlight.co.nz  
 www.joltlight.co.nz

**TRAILPARTS™**  
 Innovative Trailer Solutions

**JOLT®**  
 WORKING LIGHT


# LED Work Lights



## 6LED Worklamp 115mmØ Flood Beam

**SKU: TXL9523E80**


Voltage: 10-80V  
Power: 6x 3W High Intensity LED (18W)  
Output: 1620 Raw lumens  
Beam: 60°  
Bracket: Stainless Steel  
Other: CE / IP69K / RoHS



## 5LED Worklamp 115mm² Flood Beam

**SKU: TXL9572 (60° Flood Beam)**

Voltage: 9-32V  
Power: 5x 3W CREE LED (15W)  
Output: 800 Raw lumens  
Beam: 60°  
Bracket: Stainless Steel  
Other: CE / RoHS



# LED Work Lights




## 6LED Worklamp 115x60mm Spot or Flood Beam

**SKU: TXL9528** (60° Flood Beam)

**SKU: TXL9528L** (30° Spot Beam)

Voltage: 10-30V  
Power: 6x 3W High Intensity LED (18W)  
Output: 1620 Raw lumens  
Beam: 30°/60°  
Bracket: Stainless Steel  
Other: CE / IP69K / RoHS




## 16LED Worklamp 110mm<sup>2</sup> Spot or Flood Beam

**SKU: TXL9529** (60° Flood Beam)

**SKU: TXL9530** (30° Spot Beam)

Voltage: 10-80V  
Power: 16x 3W High Intensity LED (48W)  
Output: 4320 Raw lumens  
Beam: 30°/60°  
Bracket: Stainless Steel  
Other: CE / IP69K / RoHS





# LED Work Lights





## 2LED Worklamp 90x50mm Spot or Flood Beam

**SKU: TXL9558** (90° Flood Beam)

**SKU: TXL9558L** (8° Spot Beam)

Voltage: 10-110V  
Power: 2x 5W CREE LED (10W)  
Output: 840 Raw lumens  
Beam: 8°/90°  
Bracket: Stainless Steel  
Other: CE / IP69K / RoHS



## Blue & Red Beam Options




## 2LED Worklamp 90x50mm Red / Blue Beam

**SKU: TXL9558R** (90° Red Beam)

**SKU: TXL9558LB** (8° Blue Beam)

Voltage: 10-110V  
Power: 2x 5W CREE LED (10W)  
Output: 840 Raw lumens  
Beam: 8°/90°  
Bracket: Stainless Steel  
Other: CE / IP69K / RoHS



# LED Work Lights

## Reversing Lamp



**Multi Volt**  
10-30V

**UV**  
RESISTANT

**IP67**  
SUBMERSIBLE

**EMI**  
SUPPRESSED


**E**  
E-MARK

## 6LED Compact Worklamp 90mmØ Spot or Flood Beam

**SKU: TXL9575** (60° Flood Beam)

**SKU: TXL9575L** (30° Spot Beam)

Voltage: 10-30V  
Power: 6x 3W Bridgelux LED (18W)  
Output: 2430 Raw lumens  
Beam: 30°/60°  
Bracket: Stainless Steel  
Other: CE / IP69K / RoHS  
E-Mark: Reversing Lamp



## Reversing Lamp



**Multi Volt**  
10-30V

**UV**  
RESISTANT

**IP67**  
SUBMERSIBLE


**EMI**  
SUPPRESSED

**E**  
E-MARK

## 6LED Compact Worklamp 115mmØ Flood Beam

**SKU: TXL9573** (60° Flood Beam)

Voltage: 9-32V  
Power: 6x 3W CREE LED (18W)  
Output: 1300 Raw lumens  
Beam: 60°  
Bracket: Stainless Steel  
Other: CE / IP69K / RoHS  
E-Mark: Reversing Lamp




# LED Work Lights



## 9LED Worklamp 115mm<sup>2</sup> Flood Beam

**SKU: TXL9526** (60° Flood Beam)


Voltage: 10-30V  
Power: 9x 3W CREE LED (27W)  
Output: 1600 Raw lumens  
Beam: 60°  
Bracket: Stainless Steel  
Other: CE / RoHS



## 9LED Worklamp 115mm $\varnothing$ Flood Beam

**SKU: TXL9527** (60° Flood Beam)

Voltage: 10-30V  
Power: 9x 3W CREE LED (27W)  
Output: 1600 Raw lumens  
Beam: 60°  
Bracket: Stainless Steel  
Other: CE / RoHS





# LED Work Lights




## 9LED Worklamp 147mm (Oval) Spot or Flood Beam

**SKU: TXL9537** (60° Flood Beam)

**SKU: TXL9537L** (30° Spot Beam)


Voltage: 10-30V  
Power: 9x 3W CREE LED (27W)  
Output: 1900 Raw lumens  
Beam: 30°/60°  
Bracket: Stainless Steel  
Other: CE / RoHS



## 6LED Worklamp 160x50mm Flood Beam

**SKU: TXL9571** (45° Flood Beam)

Voltage: 10-30V  
Power: 6x 3W CREE LED (18W)  
Output: 1200 Raw lumens  
Beam: 45°  
Bracket: Stainless Steel  
Other: CE / IP69K / RoHS



# LED Driving Lights



**Multi  
Volt**  
10-60V

**UV**  
RESISTANT


**IP67**  
SUBMERSIBLE

**EMI**  
SUPPRESSED

## 12LED Driving Light 180mmØ 10° Beam

**SKU: TXL9800** (Fog Lights)

Voltage: 10-60V  
Power: 12 x 5W CREE LED (60W)  
Output: 6000 Raw lumens  
Beam: 10°  
Bracket: Stainless Steel  
Other: Anti-vibration mount



**Multi  
Volt**  
10-30V

**UV**  
RESISTANT


**IP67**  
SUBMERSIBLE

**EMI**  
SUPPRESSED

## 7" Truck Head Light Insert Lamp

**SKU: TXL9900** (hi/low beam)

Voltage: 9-33V  
Power: High (25W), Low (28W), Park (1.5W)  
Output: 2500-2800 Raw lumens  
Beam: High and low beam  
Bracket: Insert mount  
Other: ECE R112/R7; EMC to ECE R10



# LED Driving Light Bars - Single Row

## Driving Lights



This side emitting LED driving light bars are uniquely designed, they consist of 4pcs/8pcs 10W CREE LED chips. They use PC lens covers and die-casting aluminum alloy housings. Color temp is 6000-6500k, which is close to the natural sun light. Can be used as double row light bars when connected with our handy stack joiner set (TXL9860).



Scan for video

## SKU: TXL9850

<b>Type:</b>	Uno 40W LED driving light
<b>LED light:</b>	4pcs 10W CREE
<b>LED power:</b>	40W & 2090 lumens
<b>Width:</b>	222mm
<b>Voltage:</b>	9V-32V DC
<b>Waterproof class:</b>	IP68
<b>Certification:</b>	E-mark R112,R10 ,ROHS , IP68.CE
<b>Color temperature:</b>	6000K-6500K
<b>Life time:</b>	more than 50000 hours
<b>E-Mark:</b>	Driving lights

## SKU: TXL9852

<b>Type:</b>	Uno 80W LED driving light
<b>LED light:</b>	8pcs 10W CREE
<b>LED power:</b>	80W & 4180 lumens
<b>Width:</b>	444mm
<b>Voltage:</b>	9V-32V DC
<b>Waterproof class:</b>	IP68
<b>Certification:</b>	E-mark R112,R10 ,ROHS , IP68.CE
<b>Color temperature:</b>	6000K-6500K
<b>Life time:</b>	more than 50000 hours
<b>E-Mark:</b>	Driving lights





## LED Light Bars - Single Row

### COMBO BEAM

Length - 515mm  
TXL9701C



Length - 755mm  
TXL9702C



Length - 995mm  
TXL9703C



### SKU: TXL9701C

**Type:** 60W Single Row  
**LED light:** 12pcs 5W CREE  
**LED power:** 5400 lumens  
**Width:** 515mm  
**Voltage:** 10V-30V DC  
**Color temperature:** 6000K

### SKU: TXL9702C

**Type:** 90W Single Row  
**LED light:** 18pcs 5W CREE  
**LED power:** 8100 lumens  
**Width:** 755mm  
**Voltage:** 10V-30V DC  
**Color temperature:** 6000K

### SKU: TXL9703C

**Type:** 120W Single Row  
**LED light:** 24pcs 5W CREE  
**LED power:** 10800 lumens  
**Width:** 995mm  
**Voltage:** 10V-30V DC  
**Color temperature:** 6000K



## LED Light Bars - Double Row

Length - 167mm  
Flood - TXL9711



Length - 305mm  
Flood - TXL9713  
Combo - TXL9713C



### COMBO BEAM OPTIONS

Length - 505mm  
Flood - TXL9716  
Combo - TXL9716C

Designed To Withstand Any Condition, 6063 Aluminum Body For Strength And Durability. Their super efficient reflector uses patented Hybrid Technology, allowing these lights to runs at 93% optical efficiency, which is unmatched in the industry.



### SKU: TXL9713 - Flood Beam

### SKU: TXL9713C - Combo Beam

**Type:** 72W Single Row  
**LED light:** 24pcs 3W CREE  
**LED power:** 5040 lumens  
**Width:** 305mm  
**Voltage:** 10V-30V DC  
**Color temperature:** 6000K

### SKU: TXL9711 - Flood Beam

**Type:** 36W Double Row  
**LED light:** 12pcs 3W CREE  
**LED power:** 2520 lumens  
**Width:** 167mm  
**Voltage:** 10V-30V DC  
**Color temperature:** 6000K

### SKU: TXL9716 - Flood Beam

### SKU: TXL9716C - Combo Beam

**Type:** 90W Single Row  
**LED light:** 18pcs 5W CREE  
**LED power:** 8100 lumens  
**Width:** 755mm  
**Voltage:** 10V-30V DC  
**Color temperature:** 6000K

## LED Warning Lights - Forklift



### LED Warning Line - Blue or Red

**SKU: TXL9560B** - Blue Zone

**SKU: TXL9560R** - Red Zone

Voltage: 10-80V  
Power: 6W - 2pcs 3W OSRAM LED  
Size: 60 x 50mm  
Other: EMC, ECER10

These Forklift warning LED's are an innovative driving path warning system for industrial use, which ensures greater safety in aisles and especially in confusing crossing areas. This light outputs a blue warning line around the forklifts operation zone.



### LED Flashing Beacon 75mmØ

**SKU: TXLB006A**

Voltage: 10-80V  
Power: 4.8W - 24 0.5W SMD's  
Size: 110mmH x 75mmØ  
Pattern: 1 : Double strobe  
Other: SAE J845 class 3; EMC - ECER10



### LED Red / Green Safety Light

**SKU: TXL9566RG**

Voltage: 10-30V  
Power: 3pce 1W LED  
Size: 90mmW x 30mmH  
Beam: 150° Ultra-wide vision  
Other: ECER10 Red / Green

LED slimline red/green approach safety light to warn others on site of machinery in operation.



# LED Warning Lights - Flashing Beacons

Pole Mount  
TXLB010AP



Bolt On  
TXLB010A



Magnetic  
TXLB010M



## MOUNT OPTIONS

### LED Flashing Beacon 95mmØ

**SKU: TXLB010A** - Bolt On

**SKU: TXLB010AP** - Pole Mount

**SKU: TXLB010M** - Magnetic


Voltage: 10-30V

Power: 12W - 24 0.5W SMD's

Size: 95mmH x 95mmØ

Pattern: 1 : Rotate

Other: SAE J845 class 2; EMC - ECER10



09 439 5508

0800 487 245

sales@joltlight.co.nz

www.joltlight.co.nz

**TRAILPARTS™**  
Innovative Trailer Solutions

**JOLT®**  
WORKING LIGHT

# LED Flashing Light Bars



## 468mm LED Flashing Lightbar

**SKU: TXLS200A** (Bolt On)

Voltage: 10-30V  
Power: 24pce 5W CREE (120W)  
Size: 467 x 305 x 121mm

**Pattern 3:** ECE R65; EMC - ECER10



## 388mm LED Flashing Lightbar

**SKU: TXLS300A** (Bolt On)

**SKU: TXLS300AM** (Magnetic)

Voltage: 10-30V  
Power: 24pce 5W CREE (120W)  
Size: 388 x 220 x 70mm

**Pattern 3:** ECE R65; EMC - ECER10

**Note:** Magnetic Base option has 3m cable with car adaptor



## 250mm LED Flashing Minibar

**SKU: TXLS350A** (Bolt On)

**SKU: TXLS350AM** (Magnetic)

Voltage: 10-30V  
Power: 24pce 5W CREE (120W)  
Size: 250 x 170 x 50mm

**Class 1:** ECE R65; EMC - ECER10

**Note:** Magnetic Base option has 2m cable with car adaptor



Pattern	DESCRIPTION
1	Left / right 50/50 alternate triple flash: Cycle 1200ms
2	Middle triple flash + double side triple flash: Cycle 1200ms
3	Single flash: Cycle 408ms ( <b>ECE R65</b> )
4	Middle triple flash + double side triple flash + left / right 50/50 alternate triple flash + quintuple * 2: Cycle 7920ms
5	Single flash + quad flash: Cycle 1868ms
6	Single flash + triple flash + quintuple flash: Cycle 2748ms
7	Slow & fast, left / right alternate + quad flash: Cycle 4700ms
8	Slow & fast, signal flash + left / right alternate
9	Quintuple flash: Cycle 1500ms
10	Left / right alternate triple flash + quintuple flash: Cycle 5380ms

# LED Tail Lights

## Tail Lamp



### CHASING INDICATOR



## LED Tail Light - Chasing Indicator

### SKU: L1400L

Voltage: 10-30V  
LED: Stop, Tail, Indicator, Reverse  
Reflector: Yes  
Size: 284 x 100 x 25mm  
Other: ECE, E-mark (E4) certified  
E-Mark: Tail lamps

**Note:** Requires x2 resistors when using on ute decks. SKU = [N90034BL2](#) (Pack of 2)

## Tail Lamp



## LED Tail Light - Slimline

### SKU: L2610M

Voltage: 10-30V  
LED: Stop, Tail, Indicator, Reverse  
Reflector: Yes  
Size: 200 x 50 x 30mm  
Other: ECE, E-mark (E4) certified  
E-Mark: Tail lamps

**Note:** Requires x2 resistors when using on ute decks. SKU = [N90034BL2](#) (Pack of 2)

## Tail Lamp



## LED Tail Light - Heavy Vehicle

### SKU: 110-123W

Voltage: 9-33V  
LED: Stop, Tail, Indicator, Reverse  
Reflector: Yes  
Size: 222 x 96 x 35mm  
Other: ECE, E-mark (E4) certified  
E-Mark: Tail lamps



## Notes:

## Notes:

# **JOLT<sup>®</sup>**

## **WORKING LIGHT**

**09 439 5508**

**0800 487 245**

[sales@joltlight.co.nz](mailto:sales@joltlight.co.nz)  
[www.joltlight.co.nz](http://www.joltlight.co.nz)

Brought to you by:

**TRAILPARTS<sup>™</sup>**  
— *Innovative Trailer Solutions*

Buy Jolt products online [www.trailparts.co.nz](http://www.trailparts.co.nz)